

# LED LINEN

Ceiling mounted • Damp location listed



## Description:

One-light LED Flush Mount series featuring an etched white linen glass bowl. Fixtures are dimmable to 10% with Triac, phase forward or ELV dimmers.

## Specifications:

Brushed Nickel (-009) (plated)  
 Steel construction  
 Etched White Linen glass bowl  
 Dimmable (See Dimming Notes)  
 Unit covers a standard 4" hexagonal recessed outlet box  
 Mounting strap for outlet box included  
 6" of wire supplied  
 ENERGY STAR® qualified

## Performance:

Number of Modules	1
Input Power	30w
Input Voltage	120 V
Input Frequency	50/60 Hz
Lumens/LPW	2622/88 (LM-82)
CCT	3000 K
CRI	90
Life (hours)	54,000 (L70/TM-21)
EMI/RFI	FCC Title 47, Part 15, Class B
Min. Start Temp	-25 °C
Max. Operating Temp	25 °C
Warranty	5 year warranty
Labels	ETL Damp location listed ENERGY STAR® qualified


**P350008-009-30**

## Images:



## Dimensions:

Diameter: 19"  
 Height: 7-1/8"



## P350008-009-30

### Dimming Notes:

---

P350008-009-30 is designed to be compatible with many Triac/Forward Phase or Reverse Phase (ELV) controls.

The following is a partial list of known compatible dimmer controls.

### Dimming Controls

---

Lutron NTELV-300

Leviton 6681

Leviton 6672

Leviton 6674

Lutron AYCL-153P

Lutron AYL-600P

Lutron NTLV-600

Lutron MAELV-601

Leviton AWRMG-EAW

Lutron N-600

Digital type dimmers are not recommended.

Dimming capabilities will vary depending on the dimmer control, load, and circuit installation. Always refer to dimmer manufacturer instructions or a controls specialist for specific requirements.

Dimmer control brand names where identified above are trade names or registered trademarks of each respective company.