

Specifications:

One-light Small LED Wall Lantern

Etched white pillar candle inside a clear glass globe LED Module is replaceable (part # 93074036)

Dimming to 10% brightness with most ELV type dimmers

Description:

Construction: Black (-031) Aluminum

(See Dimming Notes)

6" of wire supplied

Meets Title 24 JA-8 requirements

ELLIPSIS

Project:

Fixture Type: Location:

Contact:

Wall mounted • Wet location listed



P560000-031-30

Images:



Dimensions:

Width: 8" Height: 15-1/2" Depth: 11-7/8" H/CTR: 7-3/4"

Performance:

Number of Modules	1	
Input Power	9W	
Input Voltage	120V	
Input Frequency	60Hz	
Lumens/LPW	670/71 (LM-79) per module	
ССТ	3000K	
CRI	90+	
Life	60,000 (L70/TM-21)	
EMI/RFI	FCC Title 47, Part 15, Class B	
Min. Start Temp	-30° C	
Max. Operating Temp	30° C	
Warranty	5 year warranty	
Labels	cCSAus Wet location listed	
	ENERGY STAR [®] qualified	

Catalog number:

Base	Finish	Color Temp
P560000	031 - Black	30



ELLIPSIS

Wall mounted • Wet location listed



P560000-031-30

Dimming Notes:

P560000 is designed to be compatible with both Triac and Electronic Low Voltage (ELV-Reverse Phase) controls.

The following is a partial list of known compatible dimmer controls:

Electronic Low Voltage ELV Reverse Phase Controls

Lutron	Diva	DVELV-300P
Lutron	Caseta	
Lutron	Nova T	NTELV-300
Lutron	Ariadni	AY-600P
Leviton	Illumatech	IPI06-1LZ
Leviton	SureSlide	6672
Lutron	Ariadni	AYLV-600P
Lutron	Nova T	NTLV-600
Lutron	Maestro	MAELV-600
Lutron	Spacer system	SPSELV-600
Lutron	Ariadni	AYCL-153P
Lutron	Skylark Contour	CTCL-153P
Lutron	Diva	DVCL-153P
Lutron	Toggler	TGCL-153P
Lutron	Maestro	MACL-153M
Lutron	Renoir II	AWRMG-EAW
Lutron	Nova	N-600

Digital type dimmers are not recommended.

Dimming capabilities will vary depending on the dimmer control, load, and circuit installation. Always refer to dimmer manufacturer instructions or a controls specialist for specific requirements.

Dimmer control brand names where identified above are trade names or registered trademarks of each respective company.