
Starkk Collection 60" Starkk LED Ceiling Fan MWH

330180MWH

Dimensions



Downrod	Α	В	С	D
1.00 OD X 4.50	14.15	9.75	10.50	6.30

Project Name:	
Location:	
Туре:	
Qty:	
Comments:	

Product Information

Product ID	330180MWH	
Blade Finish	Matte White/Matte White	
Collection	Starkk Collection	

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	125	6112	86	.61	71
Med	95	4888	105	.49	47
Low	65	3216	141	.35	23

Specifications

Number of Blades	5
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	60"
Blades Reversible	Yes
Blade Material	WOOD
Optional Blades Available	No
Downrod 1	1.00 OD X 4.50
Primary Control System	Pull Chain
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	No
Lead Wire Length	78.00"
Motor Size	188MM X 25MM
Motor Type	AC

Downlight

Downlight Included	Yes
Light Source	LED
Downlight Bulb Included	Integrated
Number of Lights/LEDs	1
Glass Description	Etched Cased Opal
Optional Light Kit Available	No
Efficacy (LMIW)	94
Kelvin Temperature	3000K
Color Rendering Index	80




7711 East Pleasant Valley Road Cleveland, Ohio 44131-8010 Toll free: 866.558.5706 or kichler.com



Information provided is subject to change without notice.

All values are design or typical values when measured under laboratory conditions.





Starkk Collection 60" Starkk LED Ceiling Fan MWH

330180MWH

Project Name:
Location:
Type:
Qty:
Comments:

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2
Natural Brass	330180NBR	ETCHED CASED OPAL	MEDIUM CHERRY	DARK CHERRY
Brushed Nickel	330180NI	ETCHED CASED OPAL	SILVER	WALNUT
Polished Nickel	330180PN	ETCHED CASED OPAL	SILVER	WALNUT
Matte White	330180MWH	ETCHED CASED OPAL	MATTE WHITE	MATTE WHITE
Olde Bronze	330180OZ	ETCHED CASED OPAL	CHERRY	WALNUT

Control Options

Control Options		
	Product ID	Descr
	371042MUL	56K Wall Control System Basic

Safety Listings & Certifications

Floor

Safety Rated	Dry
Warranty	www.kichler.com/warranty
Installation	
Installation Installation requirements	The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Minimum Distance Between Bottom Of Fan Blade To	7.5 feet