Greenlee

Two-Piece Round Front Toilet



Product Features

- · 0.8 gpf
- · Gravity-fed siphon jet flush
- · Vitreous china
- · 16-1/2" round front bowl
- · Rough-in: 10"
- · Flush Valve: 3"
- · Trapway: 2" fully glazed
- · Water Spot: 7" x 6"
- · Large Footprint: 23-1/4" x 11"
- · Front-mounted color match trip lever
- · Sanitary bar on bowl for easy cleaning
- · Quick connect, two-bolt tank-to-bowl installation



PF9812FLPK Fill Valve Assembly

PF9812FVPK Flush Valve Assembly with Flush Lever

Codes and Certifications









- · IAPMO/cUPC
- · EPA WaterSense Certified
- · ASME A112.19.2 / CSA B45.1
- · MaP Rated 1000g
- · Meets ADA guidelines when installed with a standard toilet seat

Caution

Toilets are recommended FOR RESIDENTIAL APPLICATIONS or those other installations where sufficient volumes of supplemental flows of water are introduced into the building drainline system near the toilet fixture (clothes washers, showers, dishwashers, process water, food service operations, sinks, etc).




Available Colors: White (WH)

Tank	
PF9810WH	10" Rough-in Tank
Bowl	
PF9800AWH	Round Front Bowl - 16-1/2"


Visit ferguson.com/PROFLO-vitreous-china-warranty for detailed warranty information.

Two-Piece Round Front Toilet





Bowl Footprint Dimensions



Note: All dimensions and specifications are nominal and may vary: Dimensions of 8" and greater have a tolerance of +3%. Dimensions less than 8" have a tolerance of +5%.

Greenlee

Two-Piece Round Front Toilet



Product Features

- · 0.8 gpf
- · Gravity-fed siphon jet flush
- · Vitreous china
- · 16-1/2" round front bowl
- · Rough-in: 12"
- · Flush Valve: 3"
- · Trapway: 2" fully glazed
- · Water Spot: 7" x 6"
- · Large Footprint: 23-1/4" x 11"
- · Front-mounted color match trip lever
- · Sanitary bar on bowl for easy cleaning
- · Quick connect, two-bolt tank-to-bowl installation



PF9812FLPK Fill Valve Assembly

PF9812FVPK Flush Valve Assembly with Flush Lever

Codes and Certifications









- · IAPMO/cUPC
- · EPA WaterSense Certified
- · ASME A112.19.2 / CSA B45.1
- · MaP Rated 1000g
- · Meets ADA guidelines when installed with a standard toilet seat

Caution

Toilets are recommended FOR RESIDENTIAL APPLICATIONS or those other installations where sufficient volumes of supplemental flows of water are introduced into the building drainline system near the toilet fixture (clothes washers, showers, dishwashers, process water, food service operations, sinks, etc).




Available Colors: White (WH)

Tank	
PF9812WH	12" Rough-in Tank
PF9812RWH	12" Rough-in Right Hand Tank
Bowl	
PF9800AWH	Round Front Bowl - 16-1/2"


Visit **ferguson.com/PR0FL0-vitreous-china-warranty** for detailed warranty information.

Two-Piece Round Front Toilet





Bowl Footprint Dimensions



Note: All dimensions and specifications are nominal and may vary: Dimensions of 8" and greater have a tolerance of +3%. Dimensions less than 8" have a tolerance of +5%.