

Aspirations™ 68"x34" Freestanding Tub

**2677004 ASPIRATIONS 68"x34"
FREESTANDIG TUB**

Optional Components

Deck Mounted Tub Filler:

- T061901.002 - Chrome
- T061901.243 - Matte Black
- T061901.295 - Brushed Nickel

Stylish Design:

- High-gloss acrylic with fiberglass reinforcement
- Sleek contemporary styling
- Spaciously designed to provide maximum bathing space with a wide and deep bathing well
- Smooth lumbar support for increased back comfort
- Wide 5" deck for Storage and deck mounted tub filler (sold separately)
- Included color matched white drain and slotted overflow for additional soaking depth
- Coordinates with Aspirations™ bathroom suite
- Smooth lumbar support for increased back comfort
- Coordinates with Aspirations™ bathroom suite

Easy Install and Care:

- High-gloss surface allows easier maintenance and cleaning
- Two-piece construction allows for easier installation
- Pre-leveled tub bottom for easier installation
- Limited Lifetime warranty

Nominal Dimensions:

68" x 34" x 34"
(1727 x 864 x 610mm)

Compliance Certifications -

Meets or Exceeds the Following Specifications:


- CSA B45.5 / IAPMO Z124



SEE REVERSE SIDE FOR ROUGHING-IN DIMENSIONS
AND PRODUCT SPECIFICATIONS

To Be Specified - Required:

- Color: White



GENERAL SPECIFICATIONS FOR 2677 TUB	
INSTALLED SIZE _____	68 x 34 x 24 in. (TUB ONLY) (1727 x 864 x 610mm)
WEIGHT _____	120 Lbs. (54 Kg.)
WEIGHT w/WATER _____	787 Lbs. (357 Kg.)
GAL. TO OVERFLOW _____	80 Gal. (302.52 L)
BATHING WELL AT SUMP _____	45-3/4 x 20-1/16 In. (1162 x 509mm)
BATHING WELL AT RIM _____	61-5/8 x 26 In. (1565 x 660mm)
WATER DEPTH TO OVERFLOW _____	17.56 In. (446mm)
FLOOR LOADING _____	76 Lbs./Sq.Ft. (371.065 Kgs./Sq.m)
LUMBAR ANGLE _____	27.1 deg

NOTES:

■ REFER TO INSTALLATION INSTRUCTIONS SUPPLIED WITH BATHTUB FOR ADDITIONAL INFORMATION.

IMPORTANT: Dimensions of fixtures are nominal and may vary within the range of tolerances established by ANSI Standard Z124.1. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided leaflet.