



**MODEL NUMBER:**

- 7061121 Monoblock with Drain

**AVAILABLE ACCESSORY:**

- 70204P0 Escutcheon Plate Only



**GENERAL DESCRIPTION:**

Metal body and pull-out spout. Washerless 28 mm ceramic disc valve cartridge. Braided flexible supply hoses with 3/8" compression connectors. Metal push pop-up drain body with 1-1/4" (32 mm) tail piece. 1.2 gpm/4.5 L/min. maximum flow rate. Fitting can be mounted on 4" centers using optional escutcheon (70204P0) or single hole mounting method.

**PRODUCT FEATURES:**

**Metal Construction:** Durable. Easy to clean. Ideal for prolonged contact with water.

**Ceramic Disc Valve Cartridge:** Assures a lifetime of smooth handle operation and drip-free performance.

**Metal Push Pop-up Drain:**

- Easy to install, operate and remove clogs.
- Fewer parts. Installs in less time.
- No adjustments required - seals the first time, every time.

**Lead Free:** Faucet contains ≤ 0.25% total lead content by weighted average.

**Pullout Wand:** The pullout wand is equipped with double check valves to prevent backflow and a flexible hose for easy access to corners of the sink for cleaning purposes.


**SUGGESTED SPECIFICATION**

Single control lavatory faucet shall feature a metal body and metal lever handle. Fitting shall be equipped with flexible supplies with 3/8" compression connectors. Shall also feature washerless ceramic disc valve cartridge with an integral hot limit safety stop. Shall also feature a metal drain body. Fitting shall be American Standard Model # 7061121.XXX or 7061104.002.

**CODES AND STANDARDS**

These products meet or exceed the following codes and standards:

- ANSI A117.1**
- ASME A112.18.1**
- CSA B125.1**
- NSF/ANSI/CAN 61: Q<1**
- NSF/ANSI/CAN 372**



Product Number	Description	Finish Options		
		Polished Chrome	PVD Brushed Nickel	Matte Black
		002	295	243
7061121	Single Control Monoblock. with drain. 	✓	✓	✓
70204P0	Optional Escutcheon Plate (for mounting on 4" centers).	✓	✓	✓

 Meets the American Disabilities Act Guidelines and **ANSI A117.1** Requirements for the physically challenged.