



# **Architectural Design Series Concealed Flush**

## 1800D90TR-19





#### **Description**

0.5 gpf (1.9 Lpf) Flush Volume, Infrared Sensor, Chrome Finish, Hardwire Operated, Urinal Fixture, Electronic Manual Override, Front Accessible Rough-In Box

### **Specifications**

Flush Volume: Fixed @ 0.5 gpf (1.9 Lpf)

Sensor Type: Infrared

· Finish: Chrome

Power Supply: Hardwire Operated (24 VAC) requires transformer (sold

separately)

Fixture Type: Urinal

Override: Electronic Manual Rough-In Box: Front Accessible

#### **Features**

· Cover with integral sensor

· Vandal-resistant mounting plate, installed with single hidden screw

· No visible mounting hardware

· TRIM MODELS - Supplied as sensor and override button attached to cover

Preset blocking time, built-in activation delay

Oversized ADA compliant push button

#### Required Accessories

060704A - Transformer 120 to 24 VAC Class 2 20 VA

**060771A** - Transformer 120 to 24 VAC Class 2 40 VA

### **Optional Accessories**

061704A - Hardwire with Battery Backup - (See DSP-BB for detailed specification)

#### **Complies With**

- ASSE 1037/ ASME A112.1037/ CSA B125.37
- ICC/ANSI A117.1
- EPA WaterSense®





(Contact Delta Representative for State and/or Local Approvals)

#### Operation

- · Hands free touch-less operation
- · Power function light
- · Adjustable 24 hours courtesy flush
- Selectable sensing distance 12" to 28" (305 to 711 mm) in 4" (102 mm) increments factory set to 20" (508 mm)
- · 12 seconds blocking time

#### Notes


Rough-in (1800D90RI) ordered separately






# Architectural Design Series Concealed Flush Valve

## 1800D90TR-19





Delta Commercial flushometer valves are designed to operate at a supply pressure between 20 psi and 125 psi in accordance with ASSE 1037/ASME A112.1037/CSA B125.37. At high water pressures, splash out, noise or reduced life of plumbing components may be observed with a few models of water closet or urinal fixtures. To minimize, or eliminate these effects, select a different model of water closet or urinal fixture from the same or different manufacturer, or install a pressure reducing valve. If the installation does not allow for either of these options, the ball valve adjustment may be used to reduce peak flow to the valve.