

**PRODUCT SPECIFICATIONS**

Elkay 8" Centerset Wall Mount Faucet 7" Bucket Hook Spt 4" Wristblade Handles 1/2 Offset Inlets+Stop Rough Chrome. Faucet has a flow rate of 4.0 GPM, and is made of Chrome-plated Brass material, with a Quarter Turn Ceramic Disc valve. Faucet requires 2 faucet holes.

|                            |  |
|----------------------------|--|
| <b>Mounting Type:</b>      | Wall Mount   |
| <b>Special Features:</b>   | Solid Brass Construction<br>1/2" Adjustable Inlets with Integral Stops |
| <b>Finish:</b>             | Chrome (CR)  |
| <b>Handle Type:</b>        | 4" Wristblade Handle   |
| <b>Spout Reach:</b>        | 8-1/2"   |
| <b>Hole Drillings:</b>     | 2  |
| <b>Material:</b>           | Chrome-plated Brass  |
| <b>Valve Type:</b>         | Quarter Turn Ceramic Disc  |
| <b>Valve Connection:</b>   | 1/2" NPT Female  |
| <b>Flow Rate:</b>          | 4.0 GPM  |
| <b>Faucet Hole Spread:</b> | 8  |
| <b>Spout Type:</b>         | Bucket Hook  |



Chrome (CR)



**Included with Product: Shut-off**

AMERICAN PRIDE. A LIFETIME TRADITION. Like your family, the Elkay family has values and traditions that endure. For almost a century, Elkay has been a family-owned and operated company, providing thousands of jobs that support our families and communities.

**Product Compliance:** ADA & ICC A117.1  
ASME A112.18.1/CSA B125.1  
NSF 61  
NSF 372 (lead free)



Complies with ADA & ICC A117.1 accessibility requirements when installed according to the requirements outlined in these standards.

- [Clean and Care Manual \(PDF\)](#)
- [Installation Instructions \(PDF\)](#)
- [Limited Warranty \(PDF\)](#)

PART: \_\_\_\_\_ QTY: \_\_\_\_\_

PROJECT: \_\_\_\_\_


CONTACT: \_\_\_\_\_

DATE: \_\_\_\_\_

NOTES: \_\_\_\_\_


APPROVAL: \_\_\_\_\_

*In keeping with our policy of continuing product improvement, Elkay reserves the right to change product specifications without notice. Please visit [elkay.com](http://elkay.com) for the most current version of Elkay product specification sheets. This specification describes an Elkay product with design, quality, and functional benefits to the user. When making a comparison of other producers' offerings, be certain these features are not overlooked.*



*In keeping with our policy of continuing product improvement, Elkay reserves the right to change product specifications without notice. Please visit [elkay.com](http://elkay.com) for the most current version of Elkay product specification sheets. This specification describes an Elkay product with design, quality, and functional benefits to the user. When making a comparison of other producers' offerings, be certain these features are not overlooked.*

| ITEM | IND. PART | DESCRIPTION          |
|------|-----------|----------------------|
| 1    | A55407    | Spout                |
| 2    | 45919C    | Handle, 4"           |
| 3    | 45923C    | Right Cold Cartridge |
| 4    | 45924C    | Left Hot Cartridge   |
| 5    | A55413    | 2" Adjustable Inlet  |
| 6    | 45912C    | Body                 |
| 7    | 98555C    | V.B. Repair Kit      |



In keeping with our policy of continuing product improvement, Elkay reserves the right to change product specifications without notice. Please visit [elkay.com](http://elkay.com) for the most current version of Elkay product specification sheets. This specification describes an Elkay product with design, quality, and functional benefits to the user. When making a comparison of other producers' offerings, be certain these features are not overlooked.