

PRODUCT SPECIFICATIONS

WaterSentry® 5-micron Sediment Prefilter. Overall dimensions are 12-1/8" x 4" x 4".

Dimensions:	12-1/8" x 4" x 4"
Shipping Weight:	1 lbs.
Flow Rate:	1.5 GPM (5.6 L/m)
Capacity:	
Temperature:	40-100°F (4-38°C)
Initial Pressure Drop:	2-5 PSI (14-34 kPa)
Maximum Pressure:	105 PSI (724 kPa)
Minimum Pressure:	20 PSI (138 kPa)
Water Inlet:	3/8" (9.5mm) O.D. tube
Water Outlet:	1/4" (6.4mm) O.D. tube

- Prefilter reduces dirt, sand and other sediment from water, improving taste and appearance and extending the life of downstream filters.
- Prefilter is tested and certified to NSF/ANSI 42 and 372 for material safety and structural integrity.
- 75-gram average weight dirt holding capacity for sediment reduction.
- For best results, replace prefilter every six months or as needed, depending on water quality.
- Universal prefilter can be paired with any existing Elkay or non-Elkay water filter to create a two-stage filtration system, preventing clogging of the main filter and reducing particulates in the water.
- Encapsulated filter cartridge allows for clean and sanitary filter changes.
- Multi-layer structure helps prevent release of sediment; outer layer reduces large particulates, prolonging cartridge service life, and inner layer reduces smaller debris, ensuring filtration efficiency.
- Prefilter is installed outside the water delivery unit for quick and easy access.



A Century of Tradition and Quality.
For more than 100 years, Elkay has been making innovative products and providing exceptional customer care. We take pride in offering plumbing products that make life easier, inspire change and leave the world a better place.



PART:	QTY:	
PROJECT:		
DATE:		
NOTES:		
APPROVAL:		

In keeping with our policy of continuing product improvement, Elkay reserves the right to change product specifications without notice. Please visit elkay.com for the most current version of Elkay product specification sheets. This specification describes an Elkay product with design, quality, and functional benefits to the user. When making a comparison of other producers' offerings, be certain these features are not overlooked.