




TE Pro Series Sconces

1TEC2S1SF8SIL/1TEC4S2SF8SIL

PROJECT:	PRODUCT #:
TYPE:	COMMENTS:
PREPARED BY:	

		Sconces				
		Sconce – Single Sided	Sconce – Double Sided			
Channel						
Installation View						
Tape Capacity		• Utilizes two strips of LED tape	• Utilizes two strips of LED tape on each side			
Description		• One-sided channel designed to create an up, down, left or right wall mounted sconce, bath bar or pendant light.	• Two-sided channel designed to create an up and down or left and right wall mounted sconce, bath bar or pendant light.			
		Ideal for: <ul style="list-style-type: none"> • Wall wash lighting, either installed horizontally or vertically. • Contemporary bath bar. • Custom-length sconce. 				
Dimensions						
A La Carte To Build A Channel						
		Channel	Lens	End Caps	Mounting Extrusion	Accessories
Channels 8ft		1TEC2S1SF8SIL		1TEC4S2SF8SIL		
Lenses 8ft		1TEL0028WHO 2-Tape Wide Flat Lens, White Opaque (Note: 1TEC4S2SF8SIL requires 2 lenses)				
End Caps 2 total		1TEE2S1SFSSIL Metal with Wiring Hole		1TEE4S2SFSSIL Metal with Wiring Hole		
Mounting Extrusion 8 ft		1TEMME2SF8SIL Sconce Channel Mounting Extrusion				
Accessories		1TEA090VCONN 90° Vertical Connector Bracket 1TEA090HCONN 90° Horizontal Connector Bracket 1TEA120HCONN 120° Horizontal Connector Bracket 1TEA180HCONN Straight Connector Bracket 1TEASPKSUSSIL Pendant Suspension Cable				

Compatible with Kichler Standard Output (1.5W/ft) and High Output (3W/ft) LED Tape Light.

TE Pro Series

Sconces

1TEC2S1SF8SIL/1TEC4S2SF8SIL



1TEC2S1SF8SIL



1TEC4S2SF8SIL



1TEL0028WHO



1TEE2S1SFSSIL



1TEE4S2SFSSIL



1TEMME2SF8SIL



1TEA090VCONN



1TEA090HCONN



1TEA120HCONN



1TEA180HCONN




1TEASPKSUSSIL

TE Pro Series Sconces

1TEC2S1SF8SIL/1TEC4S2SF8SIL

EXPLODED VIEW



COMPATIBILITY

TE Channels are compatible with Kichler® 8T, 6T and 4T Standard Output (1.5W/ft) and High Output (3W/ft) LED Tape Light. Below are compatible connectors.

Tape Connector / Channel Compatibility	8T CONNECTOR ACCESSORIES								6T/4T
	8T1TTF1WH	8T1TTF2WH	8T1TTF3WH	8T1TTF4WH	8T1TTR1WH	8T1TWF1WH	8T1TWR1WH	8T1TWR5WH	1SLXXX 1CXXX 1ICXXX *
<p>● Compatible ● Not Compatible</p> <p>● Compatible with appropriate corners fabricated with channel</p> <p>Sconce – Double Sided 1TEC4S2SF8SIL</p> 	●	●	●	●	●	●	●	●	●
<p>Sconce – Single Sided 1TEC2S1SF8SIL</p> 	●	●	●	●	●	●	●	●	●

*Due to the width of the 1SL, 1C and 1IC connectors, soldered connections are recommended.

NOTES:
