1 Light Underwater Accent Light Black

15191BK (Black Material (Not Painted))

Project Name:		
Location:		
Type:		
Qty:		
Comments:		



Certifications/Qualifications

	www.kichler.com/warranty	
Dimensions		
Height	5.00"	
Width	4.00"	

Electrical

Location Rating

Operating Voltage Range	12 VAC
Voltage	12V

Mounting/Installation

Lead Wire Length 300

Primary Lamping

Lamp Included	NotIncluded
Lamp Type	MR16
Max or Nominal Watt	4.00

Product/Ordering Information

SKU	15191BK
Finish	Black
UPC	783927028615

Optional Lamping

	1 3
	2700K LED MR16 4W 15 Degree 18126
	3000K LED MR16 4W 15 Degree 18127
	2700K LED MR16 4W 25 Degree 18128
	3000K LED MR16 4W 25 Degree18129
	2700K LED MR16 4W 40 Degree18130
	3000K LED MR16 4W 40 18131 Degree
	2700K LED MR16 4W 60 Degree 18132
	3000K LED MR16 4W 60 Degree18133
	2700K LED MR165W 15 Degree 18134
	3000K LED MR165W 15 Degree 18135
	2700K LED MR165W 25 Degree 18136
	3000K LED MR165W 25 Degree 18137
	2700K LED MR165W 40 Degree 18138
	3000K LED MR165W 40 Degree18139
	2700K LED MR165W 60 Degree 18140
	3000K LED MR16 5W 60 Degree 18141
	2700K LED MR167W 15 Degree 18142
	3000K LED MR167W 15 Degree 18143
	2700K LED MR167W 25 Degree 18144
	3000K LED MR167W 25 Degree 18145
	2700K LED MR167W 40 Degree 18146
	3000K LED MR167W 40 Degree 18147
	2700K LED MR167W 60 Degree 18148
	3000K LED MR16 7W 60 Degree 18149

Specifications

Material	THERMOPLASTIC COMPOSITE
	RESIN

Additional Finishes



Black Material (Not Painted)

Kichler 7711 East Pleasant Valley Road Cleveland, Ohio 44131-8010 Toll free: 866.558.5706 or kichler.com

Notes:

1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.

2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

