

CAST BRASS COLLECTION

## 12V MR16 Accent Light Bronzed Brass

15381BBR (Bronzed Brass)



Project Name: \_\_\_\_\_  
Location: \_\_\_\_\_  
Type: \_\_\_\_\_  
Qty: \_\_\_\_\_  
Comments: \_\_\_\_\_

### Certifications/Qualifications

Location Rating	CSA UL Listed Wet
Prop65	Yes
	<a href="http://www.kichler.com/warranty">www.kichler.com/warranty</a>

### Dimensions

Height	6.50"
Length	5.50"
Width	4.50"

### Electrical

Operating Voltage Range	12 VAC
Voltage	12V

### Mounting/Installation

Lead Wire Length	35
------------------	----

### Primary Lamping

Lamp Included	Not Included
Lamp Type	MR16
Max or Nominal Watt	5.00

### Product/Ordering Information

SKU	15381BBR
Finish	Bronze
UPC	783927185363

### Optional Lamping

2700K LED MR16 4W 15 Degree	18126
3000K LED MR16 4W 15 Degree	18127
2700K LED MR16 4W 25 Degree	18128
3000K LED MR16 4W 25 Degree	18129
2700K LED MR16 4W 40 Degree	18130
3000K LED MR16 4W 40 Degree	18131
2700K LED MR16 4W 60 Degree	18132
3000K LED MR16 4W 60 Degree	18133
2700K LED MR16 5W 15 Degree	18134
3000K LED MR16 5W 15 Degree	18135
2700K LED MR16 5W 25 Degree	18136
3000K LED MR16 5W 25 Degree	18137
2700K LED MR16 5W 40 Degree	18138
3000K LED MR16 5W 40 Degree	18139
2700K LED MR16 5W 60 Degree	18140
3000K LED MR16 5W 60 Degree	18141
2700K LED MR16 7W 15 Degree	18142
3000K LED MR16 7W 15 Degree	18143
2700K LED MR16 7W 25 Degree	18144
3000K LED MR16 7W 25 Degree	18145
2700K LED MR16 7W 40 Degree	18146
3000K LED MR16 7W 40 Degree	18147
2700K LED MR16 7W 60 Degree	18148
3000K LED MR16 7W 60 Degree	18149

### Specifications

Material	Brass
----------	-------

### Additional Finishes



Textured Architectural Bronze



Textured Architectural Bronze

---



Textured Black

---

---

**Kichler**

7711 East Pleasant Valley Road Cleveland, Ohio 44131-8010  
Toll free: 866.558.5706 or kichler.com

**Notes:**

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

**KICHLER®**