12V PAR36 Accent Light Textured Architectural Bronze

15390AZT (Textured Architectural Bronze)

Project Name:	
Location:	
Туре:	
Qty:	
Comments:	



Qty:	
Comments:	
Cambifications / Oct. 115	ications
Certifications/Qualif	
Location Rating	CUL_12V
	<u>www.kichler.com/warrant</u>
Dimensions	
Height	7.50"
Width	5.50"
Electrical	
Operating Voltage Range	12 VAC
Voltage	12V
Mounting/Installatio	n
Mounting/Installatio Lead Wire Length	42
Lead wire Length	42
Primary Lamping	
Lamp Included	Not Included
Lamp Type	PAR36
Max or Nominal Watt	4.20
Product/Ordering Inf	
SKU	15390AZT
Finish	Bronze
UPC	783927105507
Optional Lamping	
2700K LED PAR36 4W 15	18166
Degree	10100
3000K LED PAR36 4W 15	18167
Degree	
2700K LED PAR36 4W 25	18168
Degree	40400
3000K LED PAR36 4W 25 Degree	18169
2700K LED PAR36 4W 40	18170
Degree	
3000K LED PAR36 4W 40	18171
Degree	
3000K LED PAR36 4W 60	18173
Degree 2700K LED PAR36 6W 15	18174
Degree	10174
3000K LED PAR36 6W 15	18175
Degree	
2700K LED PAR36 6W 25	18176
Degree	10170
2700K LED PAR36 6W 40 Degree	18178
3000K LED PAR36 6W 40	18179
Degree	.==
3000K LED PAR36 6W 60	18181
Degree	
2700K LED PAR36 10W 15	18182
Degree	10103
3000K LED PAR36 10W 15 Degree	18183
2700K LED PAR36 10W 25	18184
Degree Degree	·=·= ·
3000K LED PAR3610W 25	18185
Degree	
2700K LED PAR36 10W 40	18186
Degree	10107
3000K LED PAR3610W 40 Degree	18187
2700K LED PAR36 10W 60	18188
	.0.00

Degree	
3000K LED PAR3610W 60 Degree	18189
2700K LED PAR3614W 15 Degree	18190
3000K LED PAR36 14W 15 Degree	18191
3000K LED PAR3614W 25 Degree	18193
14W ANSI PAR36 40 Degree 2700K BK	18194
3000K LED PAR36 14W 40 Degree	18195
2700K LED PAR3614W 60 Degree	18196
3000K LED PAR3614W 60 Degree	18197

Specifications

Material ALUMINUM

Additional Finishes



Textured Architectural Bronze

Kichler 7711 East Pleasant Valley Road Cleveland, Ohio 44131-8010 Toll free: 866.558.5706 or kichler.com

Notes:
1) Information provided is subject to change without notice.
All values are design or typical values when measured under laboratory conditions.
2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

