

# ARMIDA™

POLISHED CHROME FINISH WITH SATIN-ETCHED WHITE GLASS



A | 45375 CH



B | 45376 CH



D | 45374 CH  
Wall Sconce  
NOT TO SCALE



C | 45377 CH

## ARMIDA™

	ITEM #	FINISH	INCAND. BULB	W	H	EXT.	HCWO	NOTES
A	45375	CH	(2) 100W (M)	14	8.75	5.75	6.5	Ⓧ (23-30W CFL) May be installed with glass up or down.
B	45376	CH	(3) 100W (M)	23	8.5	5.75	6	Ⓧ (23-30W CFL) May be installed with glass up or down.
C	45377	CH	(4) 100W (M)	32.25	9	5.75	6.5	Ⓧ (23-30W CFL) May be installed with glass up or down.
D	45374	CH	(1) 100W (M)	5	10.75	7.25	7	Ⓧ (23-30W CFL) May be installed with glass up or down.

Measurements shown in inches. U.S. & Canadian Patent Pending.

# ARMIDA™

BRUSHED NICKEL FINISH WITH  
SATIN-ETCHED WHITE GLASS



**A** | 45374 NI  
Wall Sconce  
NOT TO SCALE



**B** | 45375 NI



**C** | 45376 NI

## MATCHING COLLECTION

See entire Armida™ Collection  
on pages 116-117.



**D** | 45377 NI

## ARMIDA™

	ITEM #	FINISH	INCAND. BULB	W	H	EXT.	HCWO	NOTES
<b>A</b>	45374	NI	(1) 100W (M)	5	10.75	7.25	7	Ⓢ (23-30W CFL) May be installed with glass up or down.
<b>B</b>	45375	NI	(2) 100W (M)	14	8.75	5.75	6.5	Ⓢ (23-30W CFL) May be installed with glass up or down.
<b>C</b>	45376	NI	(3) 100W (M)	23	8.5	5.75	6	Ⓢ (23-30W CFL) May be installed with glass up or down.
<b>D</b>	45377	NI	(4) 100W (M)	32.25	9	5.75	6.5	Ⓢ (23-30W CFL) May be installed with glass up or down.

Measurements shown in inches. U.S. & Canadian Patent Pending.

# ARMIDA™

OLDE BRONZE® FINISH WITH SATIN-ETCHED WHITE GLASS



A | 45375 OZ



B | 45376 OZ



C | 45377 OZ



D | 45374 OZ  
Wall Sconce  
NOT TO SCALE

## MATCHING COLLECTION

See entire Armida™ Collection on pages 118-119.



## ARMIDA™

	ITEM #	FINISH	INCAND. BULB	W	H	EXT.	HCWO	NOTES
A	45375	OZ	(2) 100W (M)	14	8.75	5.75	6.5	ⓓ (23-30W CFL) May be installed with glass up or down.
B	45376	OZ	(3) 100W (M)	23	8.5	5.75	6	ⓓ (23-30W CFL) May be installed with glass up or down.
C	45377	OZ	(4) 100W (M)	32.25	9	5.75	6.5	ⓓ (23-30W CFL) May be installed with glass up or down.
D	45374	OZ	(1) 100W (M)	5	10.75	7.25	7	ⓓ (23-30W CFL) May be installed with glass up or down.

Measurements shown in inches. U.S. & Canadian Patent Pending.