

## Lighting Your Life Since 1970

Product Specifications - 1093WT			
Job Name:	Job Type:		
Quantity:	Comments		

_

1093WT 84" Burial Pole

Finish	Glass/Shade	Product Category
White		Outdoor Accessories

Lamping		Measurements		Shipping	
Number of Bulbs	N/A	Width	3.0"	Carton Weight	9.2 lbs
Light Type	N/A	Height	84.0"	Carton Width	4"
Bulb Type		Length	N/A	Carton Height	4"
Max Bulb Wattage	N/A	Extension	N/A	Carton Length	85"
Max Fixture Wattage		Back Plate Width	N/A	Carton Cubic Feet	0.60
Rated Life		Back Plate Height	N/A	Master Pack	1
Rated Lumens		НСО	N/A	Master Pack Weight	N/A
Color Temp		Min Overall Height	N/A	Master Pack Width	N/A
Bulb(s) Included	No	Max Overall Height	N/A	Master Pack Height	N/A
Light Up/Down	N/A	Hanging Weight	9.2 lbs	Master Pack Length	N/A
Beam Spread	N/A	Height Adjustable	N/A	Master Cubic Feet	N/A
CRI	N/A	Slope	N/A	UPS Shippable	
Photo Cell Included	N/A				
Ballast	N/A				

Certification		Other		Equivalents	
UL Standard	N/A	UPC Code	783209109360	Incandescent Watts	N/A
Energy Star	No	Shades Included	N/A	Fluorescent Watts	N/A
CA Title 24	No	Crystals Included	N/A		
CA Title 20	No	Diffuser Included	N/A		
ADA	No	Conversion Kit	N/A		
		Material	Aluminum		

Maxim Lighting International and all designs, logos and images © 2010 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Products are subject to revision in design and/or construction to conform to changes in UL and/or CSA and/or ETL standards, or that which may be required by law or availability of material.

Maxim Lighting International products are UL, ETL or CSA approved.

**Dimmable** 

Color may vary from what is pictured above due to limitations inherent to photographic processes.

N/A

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.