


## Lighting Your Life Since 1970

## Product Specifications - 12397GYPC Job Name: Job Type: Quantity: Comments



12397GYPC

**Crete 1-Light Pendant** 



**Product Category** Glass/Shade Single Pendant

Polished Chrome

**Finish** 

Lamping	
Number of Bulbs	1
Light Type	LED
Bulb Type	PAR30
Max Bulb Wattage	11
Max Fixture Wattage	11
Rated Life	
Rated Lumens	±710
Color Temp	±3,000 K
Bulb(s)	Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	LED Dimmer

ıvıeasu	ren	nei	nts
\A/: d+b			

Measurements	
Width	12.00"
Height	11.00"
Length	12.00"
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
HCO	N/A
Min Overall Height	0.00"
Max Overall Height	131.00"
Hanging Weight	10.78 lbs
Height Adjustable	N/A
Slope	120°
Chain Length	N/A
Wire Length	N/A
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

## Shippina

Shipping	
Carton Weight	13.20 lbs
Carton Width	16"
Carton Height	16"
Carton Length	16"
Carton Cubic Feet	2.26
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes

	Other	
Dry	UPC Code	783209117112
No	Shades Included	N/A
No	Crystals Included	N/A
No	Diffuser Included	N/A
No	Conversion Kit	N/A
N/A	Material	N/A
	No No No No	No Shades Included No Crystals Included No Diffuser Included No Conversion Kit

## **Equivalents**

Incandescent Watts	N/A
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2015 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.