

Lighting Your Life Since 1970

	Product Specifications - 57920BK					
ſ	Job Name:	Job Type:				
ſ	Quantity:	Comments				

Product Category



Finish

57920BK

Glass/Shade

Flush Mount LED 1-Light Outdoor Ceiling Mount

FIIIISII		Glass/Silaue		Froduct Category	
Black		Frosted		Outdoor Flush Mount	
Lamping		Measurements		Shipping	
Number of Bulbs	1	Width	11.50"	Carton Weight	4.33 lbs
Light Type	LED	Height	4.50"	Carton Width	12"
Bulb Type	LED	Length	11.50"	Carton Height	7"
Max Bulb Wattage	7	Extension	N/A	Carton Length	12"
Max Fixture Wattage	7	Back Plate Width	N/A	Carton Cubic Feet	0.57
Rated Life		Back Plate Height	N/A	Master Pack	6
Rated Lumens	±455	HCO	N/A	Master Pack Weight	25.96 lbs
Color Temp	±3,000 K	Min Overall Height	0.00"	Master Pack Width	24.40"
Bulb(s)	Included	Max Overall Height	N/A	Master Pack Height	22.83"
Light Up/Down	N/A	Hanging Weight	3.12 lbs	Master Pack Length	12.60"
Beam Spread	N/A	Height Adjustable	N/A	Master Cubic Feet	4.06
CRI	N/A	Slope	N/A	UPS Shippable	Yes
Photo Cell Included	N/A	Chain Length	N/A		
Ballast/Driver/Transformer	No	Wire Length	N/A		
Dimmable	N/A	Canopy Width	N/A		
		Canopy Height	N/A		
		Canopy Length	N/A		

Certification		Other		Equivalents	
Safety Rating	Damp	UPC Code	783209120419	Incandescent Watts	N/A
Energy Star	No	Shades Included	N/A	Fluorescent Watts	N/A
CA Title 24	Yes	Crystals Included	N/A		
CA Title 20	No	Diffuser Included	N/A		
ADA	No	Conversion Kit	N/A		
Dark Sky	N/A	Material	N/A		

Maxim Lighting International and all designs, logos and images © 2015 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.