

Lighting Your Life Since 1970

Product Specifications - 87622CLFTSN				
Job Name:	Job Type:			
Quantity:	Comments			


Product Category



Finish

87622CLFTSN Trim LED 12" Vanity

Glass/Shade



LIIIISII		Glass/Silaue		Froduct Category	
Satin Nickel		Clear/Frosted		Flush Mount	
Lamping		Measurements		Shipping	
Number of Bulbs	1	Width	13.00"	Carton Weight	8.54 lbs
Light Type	LED	Height	5.50"	Carton Width	8"
Bulb Type	PCB	Length	N/A	Carton Height	6"
Max Bulb Wattage	16	Extension	2"	Carton Length	16"
Max Fixture Wattage	16	Back Plate Width	11.00"	Carton Cubic Feet	0.41
Rated Life		Back Plate Height	4.50"	Master Pack	1
Rated Lumens	±1,120	HCO	N/A	Master Pack Weight	N/A
Color Temp	±3,000 K	Min Overall Height	0.00"	Master Pack Width	N/A
Bulb(s)	Included	Max Overall Height	N/A	Master Pack Height	N/A
Light Up/Down	N/A	Hanging Weight	6.13 lbs	Master Pack Length	N/A
Beam Spread	N/A	Height Adjustable	N/A	Master Cubic Feet	N/A
CRI	90+	Slope	N/A	UPS Shippable	Yes
Photo Cell Included	N/A	Chain Length	N/A		
Ballast/Driver/Transformer	No	Wire Length	6"		
Dimmable	LED	Canopy Width	N/A		
		Canopy Height	N/A		
		Canopy Length	N/A		

Certification		Other		Equivalents	
Safety Rating	Damp	UPC Code	783209127524	Incandescent Watts	N/A
Energy Star	No	Shades Included	N/A	Fluorescent Watts	N/A
CA Title 24	No	Crystals Included	N/A		
CA Title 20	No	Diffuser Included	N/A		
ADA	No	Conversion Kit	N/A		
Dark Sky	N/A	Material	Metal+Glass		

Maxim Lighting International and all designs, logos and images © 2016 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.