

# Lighting Your Life Since 1970

	Product Specifications - 89976MB			
ı	Job Name:	Job Type:		
ĺ	Quantity:	Comments		



#### 89976MB

CounterMax MX-L120DL 30" 3000K **LED Under Cabinet** 

**Finish** Metallic Bronze

Lamping

Number of Bulbs	1
Light Type	LED
Bulb Type	LED
Max Bulb Wattage	15
Max Fixture Wattage	
Rated Life	
Rated Lumens	±882
Color Temp	±3,000 K
Bulb(s)	Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	82
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	N/A

G	la.	SS	/S	h	a	d	е

Clear

Othor

М	eas	sur	em	en	ts

Width	4.00"
Height	1.00"
Length	30.00"
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
НСО	N/A
Min Overall Height	0.00"
Max Overall Height	N/A
Hanging Weight	3.87 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	N/A
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

## **Product Category**

**Under Cabinet** 

Shipping	
Carton Weight	4.93 lbs
Carton Width	2
Carton Height	32
Carton Length	5
Carton Cubic Feet	0.22
Master Pack	10
Master Pack Weight	49.28 lbs
Master Pack Width	12.50
Master Pack Height	11.50
Master Pack Length	33.25
Master Cubic Feet	2.77
UPS Shippable	Yes

Certification

Certification	Other
Safety Rating	Dry UPC Code
Energy Star	No Shades Included
CA Title 24	No Crystals Included
CA Title 20	No Diffuser Included
ADA	No Conversion Kit
Dark Sky	N/A Material

## **Equivalents**

783209116825

N/A

N/A

N/A

N/A N/A

Incandescent Watts	N/A
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2015 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.