

BEAKER

Project:

Fixture Type: Location:

Contact:

Ceiling cord mount • Dry location listed



.ED

Specifications:

Description:

The P5344 features a 120V alternating current (AC) source which eliminates the need for a traditional LED driver.

Construction:

Polished Chrome (-15) (plated) Steel construction LED Module is replaceable (part # LED Module is replaceable (part # 93054049)) Flicker-free dimming to 10% brightness with most ELV type dimmers (See Dimming Notes) Title 24 compliant Canopy covers a standard 4" hexagonal recessed outlet box Mounting strap for outlet box included Ten feet of wire supplied

P5344-1530K9



Dimensions:

Diameter: 5" Height: 11-7/8" Overall ht. w/chain: 122"



Performance:

Number of Modules	1	
Input Power	9W	
Input Voltage	120V	
Input Frequency	60Hz	
Lumens/LPW	623/69.2 (LM-79) per module	
ССТ	3000K	
CRI	90+	
Life	60000 (L70/TM-21)	
EMI/RFI	FCC Title 47, Part 15, Class B	
Min. Start Temp	-30° C	
Max. Operating Temp	30° C	
Warranty	5 year warranty	
Labels	cCSAus Dry location listed	
	ENERGY STAR® qualified	

Catalog number:

Base	Finish	Color Temp	CRI
P5344	15 - Polished Chrome	30K - 3000K	9 - 90+ CRI



BEAKER

Ceiling cord mount • Dry location listed



P5344-1530K9

Dimming Notes:

P5344 is designed to be compatible with many Electronic Low Voltage (ELV-Reverse Phase) controls.

The following is a partial list of known compatible dimmer controls:

Electronic Low Voltage ELV Reverse Phase Controls

Lutron	Diva Series	(Part Number DVELV-300P)
Lutron	Nova T Series	(Part Number NTELV-300)
Lutron	Vierti Series	(Part Number VTELV-600)
Lutron		(Part Number MAELV-600)
Lutron		(Part Number SPELV-600)
Leviton		(Part Number AWRMG-EAW)
Leviton		(Part Number 6615-P)

Digital type dimmers are not recommended.

Dimming capabilities will vary depending on the dimmer control, load, and circuit installation. Always refer to dimmer manufacturer instructions or a controls specialist for specific requirements.

Dimmer control brand names where identified above are trade names or registered trademarks of each respective company.