



Project/Job Name: _____

Location: _____

Fixture Type: _____

Notes: _____

S11800 - 7 watt LED Downlight Retrofit; 4"; Adjustable Color Temperature; 120V; Dimmable

- CCT Selectable
- IC Rated



ELECTRICAL

Technology:	LED
Watts:	7W
Volts:	120V
Lumens:	600L
CRI:	90
CCT (Kelvins):	2700K/3000K/3500K/4000K/5000K
Temperature:	Warm to Cool White
Beam Spread :	90
Hours Rated:	50000
Dimmable:	Yes-Dimmable
Dimmable Down To %:	100 to 20 percent
Dimming Type :	Forward Phase or Reverse Phase or Phase Selectable or Triac
Incandescent Equivalent :	50W
Operating Temperature :	-20C (-4F) to +45C (+113F)
Replaceable Light Source :	No
Connection:	Direct Wired
Power Factor :	0.98
Warranty:	5 Year Limited - Fixtures

PACKAGING

Each UPC:	045923118005
Each Quantity:	1
Each Dimensions:	3.62 x 5.51 x 5.91
Inner UPC:	20045923118009
Inner Quantity:	4
Inner Dimensions:	15.16 x 5.83 x 6.30
Case UPC:	10045923118002
Case Quantity:	16
Case Dimensions:	24.17 x 15.75 x 7.09

INFO

Includes:	E26 Adapter included (S9001)
ROI Category:	Downlight Recessed

PHYSICAL

Finish:	White
Finish Family:	White
Dimensions:	H:3.00" DIA:5.31"
Weight (Lbs.):	0.36
Material:	Aluminum

INSTALLATION

Can Size:	4 in.
-----------	-------

COMPLIANCE

Safety Listing:	cULus - Classified; cULus - Certified
Location Rating:	Wet
Indoor/Outdoor:	Indoor
Energy Star Qualified:	Yes
Energy Star Unique ID:	ESID-2340830;2388488
Energy Star Lamp Category:	Downlight Solid State Retrofit
UL/ETL Standard:	ANSI/UL 1598C; CSA-C22.2 No. 250.1
CA Prop 65:	Lead
NOM Certificate No.:	NTEC21EL007844
NOM Expiration Date:	12/29/2022
FCC Compliant:	Yes
RoHS Compliant:	Yes
SDS Class:	LED_Lamp
Restrictions:	No Restrictions



S11800 - 7 watt LED Downlight Retrofit; 4"; Adjustable Color Temperature; 120V; Dimmable

ACCESSORIES



S8999

GU24 Socket Adapter For Recessed Down Light



S9000

GU10 Socket Adapter For Recessed Down Light



S9538

4" Recessed Can; For New Construction



S9539

4" Recessed Can; For Remodeling



S11800 - 7 watt LED Downlight Retrofit; 4"; Adjustable Color Temperature; 120V; Dimmable

DIMMER COMPATIBILITY

Leviton	6674
LeGrand	ADTP703TU
Lutron	AYCL-153P
Lutron	CTRP-253P
Eaton	DAL06P-C2
Leviton	DSL06-1LZ
Leviton	DSM10
Lutron	DVCL-153P
Lutron	DVLV-600P
Lutron	DVRP-253P
Leviton	IPL06
Lutron	LECL-153PH
Lutron	MA-PRO
Lutron	MACL-153M
Lutron	MSCL-OP153M
Lutron	NTCL-250
Lutron	NTRP-250
Lutron	PD-6WCL
Lutron	RRD-6CL
Satco	S11268
Satco	S11270
Lutron	SLV-600P
Eaton	TAL06P-C2